

Import data from legacy app

Import Partners

Data mapping

```
Company company;
private Delegat delegat;
Integer termenPlata;
List<Document> documents;
Boolean platitorTva;
Boolean tvaLaIncasare;
LocalDate dataInceputTvaInc;
LocalDate dataSfarsitTvaInc;
Boolean splitTva;
LocalDate dataInceputSplitTVA;
LocalDate dataAnulareSplitTVA;
FidelityCard fidelityCard;
Boolean inactiv;
Set<PartnerGrupalInteresMapping> grupelInteres = new HashSet();
boolean notifyAppointment = false;
```

Add Customer and Supplier role

```
mantle.party.Party
partyId = id
    isPerson = isEmpty(legacyP.getCodFiscal())
partyTypeEnumId = isPerson ? "PtyPerson" : "PtyOrganization"
disabled = !activ

mantle.party.Person
firstName = name.remove("^A - ").split(" ")[1+" "+..i]
lastName = name.remove("^A - ").split(" ")[0]
nickname = name

mantle.party.Organization
organizationName = name
```

```
mantle.party.PartyIdentification
partyIdTypeEnumId = "PtidTaxId"
idValue = codFiscal
```

```
mantle.party.PartyIdentification
partyIdTypeEnumId = "PtidTradeReg"
idValue = regCom
```

```
mantle.party.contact.ContactMech
contactMechId = legacyId + "_PHONE"
contactMechTypeEnumId = "CmtTelecomNumber"
mantle.party.contact.TelecomNumber
contactNumber = phone
mantle.party.contact.PartyContactMech
contactMechPurposeId = "PhonePrimary"
fromDate = y2000
```

```
mantle.party.contact.ContactMech
contactMechId = legacyId + "_EMAIL"
contactMechTypeEnumId = "CmtEmailAddress"
infoString = email
mantle.party.contact.PartyContactMech
contactMechPurposeId = "EmailPrimary"
fromDate = y2000
```

```
mantle.party.contact.ContactMech
contactMechId = legacyId + "_ADDR"
contactMechTypeEnumId = "CmtPostalAddress"
mantle.party.contact.PostalAddress
countryGeoId = legacyAddr.getCountry()
countyGeoId = legacyAddr.getJudet()
city = legacyAddr.getOras()
address1 = legacyAddr.getStrada()
postalCode = legacyAddr.getNr()
mantle.party.contact.PartyContactMech
contactMechPurposeId = "PostalPrimary"
fromDate = y2000
```

```
mantle.party.contact.ContactMech
```

```
contactMechId = legacyId + "_DELIV_ADDR"  
contactMechTypeEnumId = "CmtPostalAddress"  
mantle.party.contact.PostalAddress  
address1 = deliveryAddress  
directions = indicatii  
mantle.party.contact.PartyContactMech  
contactMechPurposeId = "PostalShippingDest"  
fromDate = y2000
```

```
mantle.account.method.PaymentMethod  
paymentMethodId = legacyId + "_BANK"  
paymentMethodTypeEnumId = "PmtBankAccount"  
ownerPartyId = legacyId  
mantle.account.method.BankAccount  
bankName = banca  
accountNumber = iban
```

Revision #7

Created 2026-04-03 05:49:57 UTC by Groza Danut

Updated 2026-04-03 11:42:18 UTC by Groza Danut